

# MAXIMUS

Completion Systems

## PACKER SYSTEMS





### MagnusPak-VI Hydraulic Set Packer

#### Casing & Packer Dimension Table

Casing				Packing Element Elastomer	Gauge Ring O.D.	Packer I.D.	Flow Wet Material	Connection
Size (inches)	Weight (PPF)	Min. I.D.	Max. I.D.					
5-1/2"	14.0 to 17.0	4.82	5.09	HNBR 90-80-90	4.62	1.97	4140 L-80	2-3/8 EUE
							9 CR L-80	
						1.94	4140 L-80	2-3/8 EUE
							9 CR L-80	
7.0	20 TO 26	6.28	6.46	HNBR 90-80-90	6.00	2.36	4140 L-80	2-7/8 EUE
							9 CR L-80	
							4140 L-80	2-7/8 EUE
	26 TO 32	6.09	6.278		5.89	2.36	4140 L-80	2-7/8 EUE
							9 CR L-80	
							4140 L-80	2-7/8 EUE
23 TO 29	6.18	6.36	6.00	2.90	4140 L-80	3-1/2 EUE		
					9 CR L-80			
					4140 L-80	3-1/2 EUE		
							9 CR L-80	
9-5/8	43.0 TO 53.5	8.53	8.75	HNBR 90-80-90	8.25	2.91	4140 L-80	3-1/2 EUE
							9 CR L-80	
						2.97	4140 L-80	3-1/2 EUE
							9 CR L-80	

Note\*: Drill Pipe connections are also available on request.  
Elastomers available: Nitrile, HNBR, HSN, Viton, Aflas